

Compliance Document

No. D 086470 0263 Rev. 00

Holder of Attestation: **Ginlong Technologies Co., Ltd.**


No.57 Jintong Road
Binhai Industrial Park, Xiangshan
315712 Ningbo, Zhejiang
PEOPLE'S REPUBLIC OF CHINA

Product: **Converter**
Hybrid Inverter

This Compliance document confirms the compliance with the listed standards on a voluntary basis. It refers only to the particular sample. This compliance document makes no statement regarding the quality or safety of the serial products. For details see: www.tuvsud.com/ps-cert

Test report no.: 704092514277-00

Date, 2025-09-23



(Zhengdong Ma)

Compliance Document

No. D 086470 0263 Rev. 00

Model(s):

S6-EH3P80K10-NV-YD-H, S6-EH3P100K10-NV-YD-H,
S6-EH3P125K10-NV-YD-H, S6-EH3P80K10-NV-ND-H,
S6-EH3P100K10-NV-ND-H, S6-EH3P125K10-NV-ND-H.

Parameters:

Model	S6-EH3P80K10-NV-ND-H	S6-EH3P100K10-NV-ND-H	S6-EH3P125K10-NV-ND-H
PV input parameters:			
Max. input voltage	DC 1000 V		
MPPT voltage range	DC 150, ..., 950 V		
Max. input current	DC 10x42 A		
Isc PV (absolute maximum)	DC 10x60 A		
Battery parameters:			
Battery Type:	Li-ion		
Battery Voltage Range:	DC 300, ..., 950 V		
Max. Charge Current:	200A		
Max. Discharge Current:	100A+100A		
AC-Output (Grid Side) parameters:			
Nominal output voltage	3/N/PE AC 230 V/400V		
Nominal output frequency	50 Hz		
Max. (Rated) AC output apparent power	80000W	100000W	125000W
Max. (Rated) continuous output current:	AC 115.5A	AC 144.3 A	AC 180.4 A
Power factor range:	-0.8, ..., 1, ..., +0.8		

Compliance Document

No. D 086470 0263 Rev. 00

Model	S6-EH3P80K10-NV-YD-H	S6-EH3P100K10-NV-YD-H	S6-EH3P125K10-NV-YD-H
PV input parameters:			
Max. input voltage	DC 1000 V		
MPPT voltage range	DC150, ..., 950 V		
Max. input current	DC 10x42 A		
Isc PV (absolute maximum)	DC 10x60 A		
Battery parameters:			
Battery Type:	Li-ion		
Battery Voltage Range:	DC 300, ..., 950 V		
Max. Charge Current:	200A		
Max. Discharge Current:	100A+100A		
AC-Output (Grid Side) parameters:			
Nominal output voltage	3/N/PE AC 230 V/400V		
Nominal output frequency	50 Hz		
Max. (Rated) AC output apparent power	80000W	100000W	125000W
Max. (Rated) continuous output current:	AC 115.5A	AC 144.3 A	AC 180.4 A
Power factor range:	-0.8, ..., 1, ..., +0.8		

**Tested
according to:**

NRS 097-2-1:2024